Industrial Automation
(Automação de Processos Industriais)

http://www.isr.tecnico.ulisboa.pt/~jag/courses/api20b/api2021.html

Prof. Paulo Jorge Oliveira, original slides

Prof. José Gaspar, rev. 2020/2021

Industrial Revolution 1760/80 – 1820/40 (historians E. Hobsbawm, T. S. Ashton)

FIG. 4.—Governor and Throttle-Valve.

Air pressure implies proportional rotation (desired small flow)

Out flow regulates air pressure.

Steam engine and detail of the governor, James Watt's [Wikipedia].

A jewel: Maillardet's Automaton, 18th century, the largest known mechanical memory

https://www.fi.edu/history-automaton

*Maillardet's Automaton, 18th century: the largest known mechanical memory*

Four drawings and three poems

Maillardet's Automaton, 18th century:
the robot saved for the future the name
of its manufacturer

Ecrit par L'Automate de Maillardet

Microcontrollers

Computer + IO

PLC

picaxe

Arduino

Raspberry-pi

National Instruments AD/DA

Premium P57

Many options for controlling real world devices! Why PLCs?

Robustness
is not an Option

Objectives of the course:

- *Analysis of systems for industrial automation.*

- *Methodologies for the **implementation** of solutions in industrial automation.*

- *Programming **languages** of PLCs (Programmable Logic Controllers).*

- *CAD/CAM and Computerized Numerical Controlled (CNC) machines.*

- ***Discrete Event Systems** Modeling.*

- ***Supervision** of Processes in Industrial Automation.*

Program at a glance:

1. Introduction to Automation [1 week]

Introduction to components and methodologies.

2. Introduction to PLCs [2 weeks]

Components of Programmable Logic Controllers (PLCs). Architecture, functional structure, IO.

3. PLCs Programming Languages [2w]

Standard languages (IEC-61131-3): Ladder Diagram; Instruction List and Structured Text.

4. GRAFCET (Sequential Function Chart) [1 week]

Norm, elements of the language, modelling.

5. CAD/CAM and CNC Machines [1 week]

Types of Computerized Numerical Controlled machines. Interpolation of trajectories. Flexible fabrication cells.

6. Discrete Event Systems [1 week]

Modeling of discrete event systems (DESs). Automata. Petri networks. State and dynamics of PNs.

7. Analysis of DESs [2 weeks]

Properties of DESs. Methodologies for the analysis: reachability graph and matricial equation.

8. DESs and Industrial Automation [1week]

Relations GRAFCET / Petri networks. Analysis of industrial automation solutions as DESs.

9. Supervision of Industrial Processes [2w]

Methodologies for supervision. SCADA. Synthesis based on invariants. Examples of application.

Assessment and grading:

- *2 Preliminary laboratory assignments - training purposes (0% of the final grade).*

- *2 Laboratory assignments (20%+20% of the final grade). Groups of 3 students.*

- *1 Seminar (20% of the final grade). Topics to be selected with each group.*

- *1 Exam (40% of the final grade).*

         Upon student choice, the second exam can be oral.

- *Minimum grade: 9.0/20.0 val. in each component.*

One extra value for students attending more than 70% of recitations and do short summaries of the classes.

Assessment and grading:

Short summaries of the classes

Download this XLS file from the webpage of the course.

Microsoft Excel - API_14_15_sem1_demo.xls

File Edit View Insert Format Tools Data Window Help   Type a question for help

B3   João silva

	A	B	C	D	E
1			**Industrial Automation 2014/5 - Self-taken links to bibliography**		
2					
3	**Name:**		João silva	**Number:**	12345
4					
5	**Bibliography:**				
6	[slides13]	API Slides 2013/2014, P. Oliveira, J. Gaspar, IST			
7	[Petruzella96]	"Programmable Logic Controllers", Frank D. Petruzella, McGraw-Hill, 1996.			
8	[Jack08]	"Automating Manufacturing Systems with PLCs", Hugh Jack (online version 2008)			

	Week	Monday	Notes	Tuesday	Notes
15					
16					
17	1	15-Set-14	Ch1 Introduction, [slides12] C1 pp1-...	16-Set-14	Cabled vs programmed logic. Examples of sensors and actuators. [slides12] C1.
18	2	22-Set-14		23-Set-14	
19	3	29-Set-14		30-Set-14	
20	4	06-Out-14		07-Out-14	

summaries / calend /

Schedule (semester view, laboratories & exam):

Lab. registration [1]	First week
1st preliminary lab.	1 week
2nd preliminary lab.	1 week
1st lab. assignment	3 weeks
2nd lab. assignment	3 weeks
3rd lab. assignment	0.5h seminar (one date >= week 8) *20min presentation + 10min discussion*
Exams (do at least one)	** *please check dates at Fenix* **

[1] *Important: define the students' representative*

Schedule (week view, see also IST-GOP / fenix):

- Recitation classes   *Using videoconference Zoom during the lockdown*

    Monday   15.30 h – 17.00 h Ea3
    Friday   15.30 h – 17.00 h Ea5

- Lab. Classes (once per week, choose one shift)

    1st shift Monday   17.00h – 18.30h   LSDC4 (room 5.21)
    2nd shift Thursday 09.30h – 11.00h   LSDC4 (room 5.21)
    3rd shift   *to schedule if needed* LSDC4 (room 5.21)

- Groups registration for the Laboratory

Bibliography :

--- References mostly found in the slides :

• **Automating Manufacturing Systems with PLCs,** Hugh Jack (available online).

• **Programmable Logic Controllers,** Frank D. Petruzella, McGraw-Hill, 1996.

• **Petri Net Theory and the Modeling of Systems,** James L. Peterson, Prentice-Hall,1981.

• **Supervisory Control of Discrete Event Systems**, Moody and Antsaklis, Kluwer Academic Publishers, 1998.

• **Discrete Event systems: Modeling and Performance Analysis**, Christos Cassandras, Aksen Associates, 1993 (newer book in 2008).

--- More references :

• **Computer Control of Manufacturing Systems**, Yoram Koren, McGraw Hill, 1986.

• **Petri Nets and GRAFCET: Tools for Modeling Discrete Event Systems**, R. David, H. Alla, New York : Prentice Hall Editions, 1992.

• **Supervisory Control of Concurrent Systems: A Petri Net Structural Approach**, Marian V. Iordache, Panos J. Antsaklis, Birkhauser, 2006

• **Modeling and Control of Discrete-event Dynamic Systems with Petri Nets and other Tools**, Branislav Hruz and MengChu Zhou, 2007.

• **Técnicas de Automação**, João R. Caldas Pinto, Lidel Ed. Técnicas Lda, 2010 (3ª Edição)

Industrial Automation
(Automação de Processos Industriais)

Introduction to Automation

http://www.isr.ist.utl.pt/~jag/aulas/api1920/api1920.html

Prof. Paulo Jorge Oliveira, original slides
Prof. José Gaspar, rev. 2019/2020

Industrial Automation is Necessary and is Happening

Consistent **production growth** in the last three centuries (since the Industrial Revolution)[1].

The production of **increasing amounts** of goods requires the storage and handling of large quantities of resources.

Need to use **automatic tools and systems**.

Automation was fostered by the invention of computers.

[1] Motivated by the continuous growth of the world population and migration to cities.

Industrial Automation - Industry 4.0

[Wikipedia]

| **1760**-1840 Industrial Revolution | **1913** Assembly line by Henry Ford | **1955** NC/CNC 1968 Bedford / GM PLC | **2011** Industry 4.0 term revived at the Hannover Fair |

*1807-1811 French invasions, 1821 Independence of **Brasil***
1974-1975 Independence of Guiné-Bissau, Moçambique, Cabo Verde, São Tomé
*e Príncipe, **Angola***

Industrial Automation - Industry 4.0

Cyber physical systems, Internet of things (IoT) and Visual computing

https://en.wikipedia.org/wiki/Electric_power_distribution

https://medium.com/datadriveninvestor/the-internet-of-things-90263f7b1249

https://eisti.fr/en/formation/visual-computing-option

Industrial Process:

Making Cement

[Outão / Setúbal / Portugal]

Some systems are very **large and complex** *but still need to "work like a clock"*

Industrial Process:

Tetra Pak /
Parmalat

*Complexity handled with **modularity**.*
Filling machine, complete line:
- 200 ml slim 20000 TP/h
- Straw Applicator
- Beverage Carton Film Wrapper
- Conveyors
- Carboardpacker

Complex Systems based on Local and Global Controllers

Subsystem +Subsystem +Subsystem + … | **+ Global Controller** | **= Automated Industrial Process**

Other courses as e.g. Control

Subsystems sequencing, synchronization, ...

Start and stop digital (binary) signals and events.

The subject of this course.

Ch. 1 – Introduction to Automation [1 week]

1.1   Introduction to **components** in industrial automation.

1.2   **Cabled** logic versus **programmed** logic versus **networked** logic.

1.3   Introduction to **methodologies** for problem modeling. Methodologies of work.

1.1 Components used in industrial automation

Robotic Manipulators
– generic load, unload, handle, work

Computerized CNC Machines
– specialized workers

Handling materials
– specialized load and unload

How it is done:
– Low level actuation and sensing
– Motors and sensors, local and global integration

Robotic Manipulators

Robotic Manipulators - End Effectors

Robotic Manipulators

Major characteristics:

• Number of degrees of freedom
• Types of joints (prismatic/revolution)
• Programming tools and environments
  (high level languages, teach pendent, ...)
• Workspace
• Accuracy, reliability
• Payload and robustness

Workspace, examples:

•   Spherical
•   Cylindrical
•   …

(b) Articulated

(a) Cylindrical

Fig. 15-23
Robot work envelope.

Robotic Manipulators

Central problems to address and solve:

- Direct / Inverse kinematics
- Trajectory generation / Trajectory following
- Coordinate frames where tasks are specified
- Level of abstraction of the programming languages

(a) Gripper

(b) Grinder

(c) Gas welding torch

Fig. 15-24

Workpiece

Robot controller

Industrial robot used in an individual item process

Fig. 14-3
Individual product production.

Use in Flexible Cells of Fabrication:

it is required that the manipulators have correct interfaces for the **synchronization** and inputs for **external** commands.

Robotic Manipulators

Riding an ABB IRB 6600 Robot 1 [Youtube]

API Note: please understand the power, and do not do this; keep always the safety!

Computerized Numerical Controlled (CNC) Machines

Major characteristics:

• Number of degrees of freedom
• Interpolation methods
• Load/unload automation, and also in tool change
• Programming (high level languages, teach pendent, ...)
• Workspace
• Accuracy, reliability
• Payload and robustness
• Interface
• Synchronization with exterior

Examples:
Milling, Lathes, ...

MITSUI SEIKI Machining Center

Computerized Numerical Controlled (CNC) Machines

Compact CNC plasma cutting machine
Effective cutting :1.5 m X 3 m
Plasma torch cutting capacity up to 5cm (mild steel), Gas torch option allows up to 10cm.

Computerized Numerical Controlled (CNC) Machines

Solutions for Handling materials

For transport

Major characteristics:

- Load / unload automation

- Accuracy, reliability

- Payload and robustness

- Interface

- Synchronization with exterior

Conveyors, wheels on the ground

Automatic Guided Vehicles (AGVs)

Major characteristics:

• Load/unload automation

• Accuracy, reliability

• Payload and robustness

• Interface

• Synchronization with exterior

Automatic Guided Vehicles (AGVs)

Example of fleet operating in industry

Automatic Guided Vehicles (AGVs)

Kiva Systems Inc
- warehouse automation
- used by Staples, Toys R Us, ...
- 2012 bought by Amazon ($775 million)

AGVs (Automatic Guided Vehicles)

Kiva Systems Inc, warehouse automation

Ch. 1 – Introduction to Automation [1 week]

1.1   Introduction to **components** in industrial automation.

1.2   **Cabled** logic versus **programmed** logic versus **networked** logic.

1.3   Introduction to **methodologies** for problem modeling. Methodologies of work.

1.2 Cabled Logic

One Relay   *Two Relays making one AND gate*

$$B = C$$

$$\overline{B} = \overline{C}$$

$$B_2 = C_1 \wedge C_2$$

1.2 Cabled Logic versus ...

Fig. 1-2

(a) Typical hard-wired controller panel. (b) Typical hardwired
diagram. (Courtesy of Allen-Bradley Company, Inc.)

Cabled Logic versus ...

... versus Programmed Logic ...

PLC control panel

Relay control panel

... versus Networked Logic

Ch. 1 – Introduction to Automation [1 week]

1.1   Introduction to **components** in industrial automation.

1.2   Cabled logic versus **programmed logic** versus networked logic.

1.3   Introduction to **methodologies** for problem modeling. Methodologies of work.

Relay or Ladder diagram, design methodology:

- identify the main hardware, **actuators & sensors**, to build the system
- break the system into **subsystems**; tune hardware selection
- **integrate** hardware, logic and sequencing, locally and globally.

Actuators
  Motors
  Solenoid valve
  Command relay
  Pneumatic cylinder / Electro pneumatic

Sensors
  Pressure switch
  Temperature sensors
  Proximity sensors

Ref: Programmable Logic Controllers, Frank D. Petruzella, McGraw-Hill, 1996.

Example of AC motor, with driver

Actuation

Motors

Major characteristics:

- Type of start
- Type of control
- Accuracy, reliability
- Payload and robustness
- Interface with exterior
- Synchronization

Rotor   Stator

Tesla Model S motor

Current in a wire makes a magnetic field

Current spinning around a core makes a larger magnetic field

Permanent magnet motor works by almost always having mismatch current baseb B vs magnets B

Solenoid Valve

Fig. 6-45
Solenoid valve.

(a) Operation

(b) Solenoid valve installation

Command Relay

Fixed contacts

Movable contact

Armature

Spring

Coil

Coil de-energized

Coil energized

+

−

Fig. 6-1

Electromagnetic control relay operation.

Coil

CR1

CR1-1

CR1-2

Normally open
(NO) contact

Normally closed
(NC) contact

(a) Control relay symbol

(b) Typical industrial control
relay. (Courtesy of Allen-
Bradley Company, Inc.)

Fig. 6-2

Control relay.

Command Relay

A = NO =
Normally
Open

B = NC =
Normally
Closed

DC off

DC on

from: http://www.engineersgarage.com/insight/how-relay-switch-works

Cylinders (Pneumatics)

advancing

Fluid pumped in at pressure P Fluid flows out at low pressure

retracting

Fluid flows out at low pressure   Fluid pumped in at pressure P

Force:

$$P = \frac{F}{A} \qquad\qquad F = PA$$

where

P = the pressure of the hydraulic fluid
A = the area of the piston
F = the force available from the piston rod

Air flow in or out

https://www.smctraining.com/en/webpage/indexpage/1108

Solenoid Valves (Electrovalves, Electro-pneumatics)

The solenoid has 2 positions. Each position implies one direction of fluid flowing:

Exhaust out

Power in

Power in

Exhaust out

Two types: ON/OFF valves, Proportional Valves

Symbols commonly used to represent the two cases:

Example of a commercial valve:

https://www.smctraining.com/en/webpage/index page/354

Solenoid Valves and Cylinders

advancing

F

Fluid pumped in at pressure P

Fluid flows out at low pressure

solenoid

power in   exhaust out

retracting

F

Fluid flows out at low pressure

Fluid pumped in at pressure P

solenoid

exhaust out   power in

Note about the most flexible systems:
- Proportional pneumatics (proportional valve),
- Servo-pneumatics (e.g. feedback of the position of the piston).

https://www.smctraining.com/webpage/indexpage/341/

Page 52

Sensors

Push buttons

Button
Threaded ne
Base
NC terminal
NO terminal
NC terminal
NO terminal
InstrumentationTools.com

Switch in the actuated (pressed) state
NC terminal
NO terminal
NC terminal
NO terminal
InstrumentationTools.com

STOP   START

Normally open (NO) pushbutton

Normally closed (NC) pushbutton

Break-make pushbutton

Note: The abbreviations NO and NC represent the electrical state of the switch contacts when the switch is not actuated.

(a) Pushbutton switches

L1 — R — L2
G

L1 — R — L2
G

(b) Control circuit using a combination break-make pushbutton

Selector with three positions

	Contacts	
Position	A	B
Hand	X	
Off		
Auto		X

(a) Selector switch operator

(b) Three-position selector switch and truth table

(c) Selector switch used in conjunction with a reversing motor starter to select forward or reverse operation of the motor

**Fig. 6-11**

Selector switch.

Sensors

Pressure Switch

(b) Bellows

(c) Starter operated by pressure switch

Fig. 6-15 (continued)

Pressure switch.

Temperature

Sensors

|	Thermocouple	RTD	Thermistor	IC Sensor
	Voltage vs Temperature	Resistance vs Temperature	Resistance vs Temperature	Voltage or current vs Temperature
Advantages	• Self-powered • Simple • Rugged • Inexpensive • Wide variety • Wide temperature range	• Most stable • Most accurate • More linear than thermocouple	• High output • Fast • Two-wire ohms measurement	• Most linear • Highest output • Inexpensive
Disadvantages	• Nonlinear • Low voltage • Reference required • Least stable • Least sensitive	• Expensive • Power supply required • Small ΔR • Low absolute resistance • Self-heating	• Nonlinear • Limited temperature range • Fragile • Power supply required • Self-heating	• $T < 200°C$ • Power supply required • Slow • Self-heating • Limited configurations

Fig. 6-38
Common temperature sensors.

RTD = Resistance Temperature Detector
IC   = Integrated Circuit

Thermocouple   # Proximity detector

Fig. 2-12

Typical thermocouple connection to an analog input module.

(a) Block diagram

(b) Operation—as the target moves into the sensing area, the sensor switches the output ON.

Fig. 6-20

Inductive proximity sensor.

Magnetic detector

Magnetic switch

Pickup coil   Pole piece

Permanent magnet

N S

Sensor output

0 V

Fig. 6-42

Magnetic pickup sensor.

Glass tube   NO contact

Common contact

NC contact

Magnet

N   S

C

NO

NC

Fig. 6-25

Magnetic switch (reed switch).

Symbols associated to all components

## Standards - Joint International Committee (JIC) Wiring Symbols


Fig. 6-43

Symbols for output control devices.

Methodologies for the implementation of solutions in industrial automation

## Device: Relay   ## Contact Diagram or Ladder Diagram


Fig. 6-3

Relay circuit—switch open.

Example of relay and ladder diagrams:



Fig. 1-13

Relay ladder diagram for modified process.

Fig. 1-14

PLC ladder logic diagram for modified process.

Logic Functions

AND

$$X = A \cdot B$$

A	B	X
0	0	0
0	1	0
1	0	0
1	1	1

OR

$$X = A + B$$

A	B	X
0	0	0
0	1	1
1	0	1
1	1	1

NOT

$$X = \bar{A}$$

A	X
0	1
1	0

NAND

$$X = \overline{A \cdot B}$$

A	B	X
0	0	1
0	1	1
1	0	1
1	1	0

NOR

$$X = \overline{A + B}$$

A	B	X
0	0	1
0	1	0
1	0	0
1	1	0

EOR

$$X = A \oplus B$$

A	B	X
0	0	0
0	1	1
1	0	1
1	1	0

# Example of relay and ladder diagrams, and gate logic:

Example 4-9

A motor control circuit with two stop buttons. When the start button is depressed, the motor runs. By sealing, it continues to run when the start button is released. The stop buttons stop the motor when they are depressed.

The world is always moving forward:
Exploit the advantages of Programmed Logic!

Relay control panel   *PLC control panel*

Rule of thumb: if using more than 6 relays then a PLC is already lesser expensive